



A simple LED for everyday use

Ecohome

EcoHome LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

Benefits

- Up to 90% energy saving compared with traditional incandescent lamps
- Lower maintenance costs
- Low initial investment

Features

- Easy retrofit with existing E27
- Long lifetime
- Non-Dimmable
- UV- and IR-free light

Application


- Domestic applications

Versions



E27 A 60mm Frosted

Dimensional drawing



| Product | D | C |
|--|-------|--------|
| EcoHome LEDBulb 10W E27 6500KHV 1PF/20AR | 60 mm | 108 mm |
| EcoHome LEDBulb 10W E27 3000KHV 1PF/20AR | 60 mm | 108 mm |

Approval and application

Energy Consumption kWh/1000 h 10 kWh

Controls and dimming

Dimmable No

Operating and electrical

Input Frequency 50 to 60 Hz

Voltage (Nom) 220-240 V

Wattage Equivalent 65 W

Power (Nom) 10 W

Starting Time (Nom) 0.5 s

General information

Cap-Base E27

Nominal Lifetime (Nom) 10000 h

Switching Cycle 50000X

Light technical

Beam Angle (Nom) 150 °

Color Rendering Index (Nom) 80

Llmf At End Of Nominal Lifetime (Nom) 70 %

Mechanical and housing

Bulb Finish Frosted

Bulb Shape A60

Temperature

T-Case Maximum (Nom) 78 °C

Light technical

| Order Code | Full Product Name | Color Code | Correlated Color | |
|--------------|---|------------|-------------------|---------------------|
| | | | Temperature (Nom) | Luminous Flux (Nom) |
| 929001954871 | EcoHome LEDBulb 10W E27 6500KHV 1PF/20AR | 865 | 6500 K | 720 lm |
| 929001955371 | EcoHome LEDBulb 10W E27 3000KHV 1PF/20AR | 830 | 3000 K | 680 lm |

